

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	((("6832366") or ("6820078") or ("6817008") or ("6804819") or ("6799182") or ("6792605") or ("6484185") or ("6061692"))).PN.	USPAT; USOCR	OR	OFF	2006/04/27 15:13
L2	0	L1 and wsdL	USPAT	OR	OFF	2006/04/27 15:07
L3	0	L1 and (web with service\$1 with description with language\$1)	USPAT	OR	OFF	2006/04/27 15:09
L4	4197	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 15:13
L5	3	707/100.ccls. and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with operations with web with service\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 15:15
L6	1	707/100.ccls. and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with operations with web with service\$1) and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 15:16
S1	47	((simple adj object adj access adj protocol\$1) or SOAP) and (web with service\$1) and (proxy with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 11:56
S2	17	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same (WSDL or (web adj services adj description adj language\$1))) and (proxy with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:31
S3	2	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same (WSDL or (web adj services adj description adj language\$1))) and (proxy with table\$1) and (relational with (database\$1 or (data adj base\$1) or (data with repositor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 11:59

EAST Search History

S4	2751	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:16
S5	148	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:19
S6	39	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and (remote with client\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:19
S7	58	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and (remote with (client\$1 or system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:20
S8	58	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and (remote with (client\$1 or system\$1)) and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:23
S9	1	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and (remote with (client\$1 or system\$1)) and network\$1 and ((convert\$3 or chang\$3 or alter\$3 or adapt\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:27

EAST Search History

S10	5	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and (remote with (client\$1 or system\$1)) and network\$1 and ("xml" with sql) and ("xml" or (extensible with markup with language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:29
S11	6	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and (stor\$3 with retriev\$3 with data with (database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ("xml" with sql) and ("xml" or (extensible with markup with language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:30
S12	134	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ("xml" with sql) and ("xml" or (extensible with markup with language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:30
S13	84	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ("xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:32
S14	37	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:33

EAST Search History

S15	35	(((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1)) and ((creat\$3 or produc\$3 or generat\$3 or mak\$3 or map\$4) with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:34
S16	10	(((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1)) and ((creat\$3 or produc\$3 or generat\$3 or mak\$3 or map\$4) with table\$1) and (SOAP or (simple adj object adj access adj protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:47
S17	2	(((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1)) and ((creat\$3 or produc\$3 or generat\$3 or mak\$3 or map\$4) with table\$1) and (SOAP or (simple adj object adj access adj protocol)) and (WSDL or (web adj service\$1 adj description adj language\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:49

EAST Search History

S18	8	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1)) and ((creat\$3 or produc\$3 or generat\$3 or mak\$3 or map\$4) with table\$1) and (SOAP or (simple adj object adj access adj protocol)) and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:48
S19	1	((clientserver) or "client-server" or (client adj server)) with system\$1) and (SQL or (structured adj query adj language\$1)) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with table\$1) and network\$1 and ((convert\$3 or map\$4 or chang\$3 or exchang\$3 or adapt\$3 or alter\$3 or translat\$3) with "xml" with sql) and ("xml" or (extensible with markup with language\$1)) and (remote with (client\$1 or system\$1)) and ((creat\$3 or produc\$3 or generat\$3 or mak\$3 or map\$4) with table\$1) and (SOAP or (simple adj object adj access adj protocol)) and (WSDL or (web adj service\$1 adj description adj language\$1)) and (proxy with table\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 12:49
S20	12	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same (WSDL or (web adj services adj description adj language\$1))) and (proxy with table\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:33
S21	12	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same (WSDL or (web adj services adj description adj language\$1))) and (proxy with table\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3)) and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:34

EAST Search History

S22	5	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same ((WSDL or (web adj services adj description adj language\$1)) with interface\$1)) and (proxy with table\$1) and (database\$1 or (data adj base\$1) or (data with repositor\$3)) and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:49
S23	1	((simple adj object adj access adj protocol\$1) or SOAP) and ((web with service\$1) same ((WSDL or (web adj services adj description adj language\$1)) with interface\$1)) and (proxy with table\$1) and ((database\$1 or (data adj base\$1) or (data with repositor\$3)) with (join\$1 or select or insert or union or sql)) and network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:36
S25	2	"6832366"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/27 13:49
S26	8	("6832366") or ("6820078") or ("6817008") or ("6804819") or ("6799182") or ("6792605") or ("6484185") or ("6061692")).PN.	USPAT; USOCR	OR	OFF	2006/04/27 15:07
S27	5	("6792605").URPN.	USPAT	OR	OFF	2006/04/27 13:54
S28	3	("6792605").URPN. and table\$1	USPAT	OR	OFF	2006/04/27 13:54
S29	3	("6792605").URPN. and table\$1 and quer\$3	USPAT	OR	OFF	2006/04/27 13:54
S30	0	("6792605").URPN. and (proxy with table\$1) and quer\$3	USPAT	OR	OFF	2006/04/27 13:55
S31	0	("6792605").URPN. and (proxy with table\$1) and wsdl	USPAT	OR	OFF	2006/04/27 13:55